











| Warranty | NSN/Mfg Part No / Product | Price/Delivery | Picture |
|----------------|--|---|--|
| By Manufacture | <p>M99A / OPTIMA HAND DRYER – Automatic – White epoxy cover</p> <p>Steel Sheet cover, white epoxy painted; 5/64" thick, Voltage: 110-120 V; 1/5 HP Induction Motor @ 3,300 rpm, maintenance-free and high durability, with a safety thermostat, Heating element: 1.500 W, Effective airflow: 166 CFM, Free airflow: 194 CFM (M-99A M99-A M99) Sku: M99A Brand: Saniflow Corp.</p> | <p>\$165.75</p> <p>30 days delivery ARO</p> <p>FOB: Miami, Florida</p> |  |
| By Manufacture | <p>M99AC / OPTIMA HAND DRYER – Automatic – Polished Stainless Steel AISI 304 Cover</p> <p>St. Steel bright cover, 1/16" thick; Voltage: 110-120 V; 1/5 HP Induction Motor @ 3,300 rpm, maintenance-free and high durability, with a safety thermostat, Heating element: 1.500 W, Effective airflow: 166 CFM, Free airflow: 194 CFM (M-99AC M99-AC) Sku: M99AC Brand: Saniflow Corp.</p> | <p>\$230.75</p> <p>30 days delivery ARO</p> <p>FOB: Miami, Florida</p> |  |
| By Manufacture | <p>M99ACS / OPTIMA HAND DRYER – Automatic – Brushed Stainless Steel AISI 304 Cover</p> <p>St. Steel satin cover, 1/16" thick, Voltage: 110-120 V; 1/5 HP Induction Motor @ 3,300 rpm, maintenance-free and high durability, with a safety thermostat, Heating element: 1.500 W, Effective airflow: 166 CFM, Free airflow: 194 CFM (M-99ACS M99-ACS) Sku: M99ACS Brand: Saniflow Corp.</p> | <p>\$230.75</p> <p>30 days delivery ARO</p> <p>FOB: Miami, Florida</p> |  |




| Warranty | NSN/Mfg Part No / Product | Price/Delivery | Picture |
|----------------|--|---|--|
| By Manufacture | <p>M89A / SENIOR HAND DRYER – Automatic – White aluminum cover</p> <p>Aluminium White cover, 1/8" thick, Voltage: 110-120 V; 1/7 HP 30 days delivery ARO Induction Motor @ 3,300 rpm, maintenance-free and high durability, with a safety thermostat, Heating element: 1.200 W, Effective airflow: 111 CFM, Free airflow: 139 CFM (M-89A M89-A) Sku: M89A Brand: Saniflow Corp.</p> | <p>\$143.00</p> <p>FOB: Miami, Florida</p> |  |
| By Manufacture | <p>M88 / JUNIOR HAND DRYER – Push Button – White ABS cover</p> <p>ABS Plastic White cover, 1/8" thick, Voltage: 110-120 V; 1/7 HP 30 days delivery ARO Induction Motor @ 3,300 rpm, maintenance-free, Heating element: 1.200 W, Effective airflow: 111 CFM, Free airflow: 139 CFM (M-88 M 88) Sku: M88 Brand: Saniflow Corp.</p> | <p>\$110.50</p> <p>FOB: Miami, Florida</p> |  |
| By Manufacture | <p>M88A / JUNIOR HAND DRYER – Automatic – White ABS cover</p> <p>ABS Plastic White cover, 1/8" thick, Voltage: 110-120 V; 1/7 HP 30 days delivery ARO Induction Motor @ 3,300 rpm, maintenance-free, Heating element: 1.200 W, Effective airflow: 111 CFM, Free airflow: 139 CFM (M-88A M-88-A) Sku: M88A Brand: Saniflow Corp.</p> | <p>\$120.25</p> <p>FOB: Miami, Florida</p> |  |

| Warranty | NSN/Mfg Part No / Product | Price/Delivery | Picture |
|----------------|--|---|---|
| By Manufacture | <p>E85 / SANIFLOW HAND DRYER – Push Button – Cast iron – White porcelain</p> <p>Cast iron cover, 1/4" thick, White porcelain enamelled; Voltage: 110 - 120 V; Power consumption: 16 A; Motor: 1/3 HP; Nominal power: 1.850 W; R.P.M.: 5.500; Heating element: 1.600 W; Effective airflow: 203 CFM; Free airflow: 290 CFM (E-85 E 85) Sku:E85 Brand: Saniflow Corp.</p> | <p>\$338.00</p> <p>FOB: Miami, Florida</p> |  |
| By Manufacture | <p>E85A / SANIFLOW HAND DRYER – Automatic – Cast iron – White porcelain</p> <p>Cast iron cover, 1/4" thick, White porcelain enamelled; Voltage: 110 - 120 V; Power consumption: 16 A; Motor: 1/3 HP; Nominal power: 1.850 W; R.P.M.: 5.500; Heating element: 1.600 W; Effective airflow: 203 CFM; Free airflow: 290 CFM (E-85A E85-A E85) Sku:E85 Brand: Saniflow Corp.</p> | <p>\$338.00</p> <p>FOB: Miami, Florida</p> | |
| By Manufacture | <p>E88 SANIFLOW HAND DRYER – Push Button – White porcelain</p> <p>Metal Sheet cover, 5/64 " thick, White porcelain enamelled; Voltage: 110 - 120 V; Power consumption: 16 A; Motor: 1/3 HP; Nominal power: 1.850 W; R.P.M.: 5.500; Heating element: 1.600 W; Effective airflow: 203 CFM; Free airflow: 290 CFM (E-88 E88) Sku:E88 Brand: Saniflow Corp.</p> | <p>\$292.50</p> <p>FOB: Miami, Florida</p> | |



| Warranty | NSN/Mfg Part No / Product | Price/Delivery | Picture |
|----------------|--|--|---------|
| By Manufacture | E88A SANIFLOW HAND DRYER – Automatic – White porcelain Metal Sheet cover, 5/64 “ thick, White porcelain enamelled; 30 days delivery ARO Voltage: 110 – 120 V; Power consumption: 16 A; Motor: 1/3 HP; Nominal power: 1.850 W; R.P.M: 5.500; Heating element: 1.600 W; Effective airflow: 203 CFM; Free airflow: 290 CFM (E-88 E88) Sku:E88A Brand: Saniflow Corp. | \$292.50 FOB: Miami, Florida | |
| By Manufacture | E88-F SANIFLOW HAND DRYER – Push Button – Fixed Noozle – White porcelain Metal Sheet cover, 5/64 “ thick, White porcelain enamelled; 30 days delivery ARO Voltage: 110 - 120 V; Power consumption: 16 A; Motor: 1/3 HP; Nominal power: 1.850 W; R.P.M.: 5.500; Heating element: 1.600 W; Effective airflow: 203 CFM; Free airflow: 290 CFM (E-88-F: E88F) Sku:E88-F Brand: Saniflow Corp. | \$292.50 FOB: Miami, Florida | |
| By Manufacture | E88A-FSANIFLOW HAND DRYER – Automatic – Fixed Noozle - White porcelain Metal Sheet cover, 5/64 “ thick, White porcelain enamelled; 30 days delivery ARO Voltage: 110 – 120 V; Power consumption: 16 A; Motor: 1/3 HP; Nominal power: 1.850 W; R.P.M: 5.500; Heating element: 1.600 W; Effective airflow: 203 CFM; Free airflow: 290 CFM (E-88A-F ;E88AF) Sku:E88AF Brand: Saniflow Corp. | \$292.50 FOB: Miami, Florida | |

| Warranty | NSN/Mfg Part No / Product | Price/Delivery | Picture |
|----------------|--|---|---|
| By Manufacture | <p>E88C SANIFLOW HAND DRYER – Push Button – Chrome plated cover</p> <p>Metal Sheet cover, 5/64" thick, Bright Finish; Voltage: 110 – 120 V; 30 days delivery ARO Power consumption: 16 A; Motor: 1/3 HP; Nominal power: 1.850 W; R.P.M: 5.500; Heating element: 1.600 W; Effective airflow: 203 CFM; Free airflow: 290 CFM (E-88C; E88C) Sku: E88C Brand: Saniflow Corp.</p> | <p>\$312.00</p> <p>FOB: Miami, Florida</p> | |
| By Manufacture | <p>E88AC SANIFLOW HAND DRYER – Automatic – Chrome plated cover</p> <p>Metal Sheet cover, 5/64" thick, Bright Finish; Voltage: 110 – 120 V; 30 days delivery ARO Power consumption: 16 A; Motor: 1/3 HP; Nominal power: 1.850 W; R.P.M: 5.500; Heating element: 1.600 W; Effective airflow: 203 CFM; Free airflow: 290 CFM (E-88AC; E88AC) Sku: E88AC Brand: Saniflow Corp.</p> | <p>\$312.00</p> <p>FOB: Miami, Florida</p> |  |
| By Manufacture | <p>E88CS SANIFLOW HAND DRYER – Push Button – Brushed Satin plated cover</p> <p>Metal Sheet cover, 5/64" thick, Satin Finish; Voltage: 110 – 120 V; 30 days delivery ARO Power consumption: 16 A; Motor: 1/3 HP; Nominal power: 1.850 W; R.P.M: 5.500; Heating element: 1.600 W; Effective airflow: 203 CFM; Free airflow: 290 CFM (E-88CS; E88CS) Sku: E88CS Brand: Saniflow Corp.</p> | <p>\$312.00</p> <p>FOB: Miami, Florida</p> | |

| Warranty | NSN/Mfg Part No / Product | Price/Delivery | Picture |
|----------------|--|---|--|
| By Manufacture | <p>E88ACSSANIFLOW HAND DRYER – Automatic – Brushed Satin plated cover</p> <p>Metal Sheet cover, 5/64" thick, Satin Finish; Voltage: 110 – 120 V; 30 days delivery ARO Power consumption: 16 A; Motor: 1/3 HP; Nominal power: 1.850 W; R.P.M: 5.500; Heating element: 1.600 W; Effective airflow: 203 CFM; Free airflow: 290 CFM (E-88ACS; E88ACS) Sku: E88ACS Brand: Saniflow Corp.</p> | <p>\$312.00</p> <p>FOB: Miami, Florida</p> | |
| By Manufacture | <p>M03A MEDIFLOW HAND DRYER – Automatic – White epoxy cover</p> <p>Steel Sheet cover, white epoxy enamelled; 1/16" thick, Voltage: 110-120 V; Power consumption: 19A; Motor: 1/3 HP; R.P.M: 4.500; Heating Element: 2,000 W Effective airflow: 265 CFM; Free airflow: 318 CFM (M-03A; M03A) Sku: M03A Brand: Saniflow Corp.</p> | <p>\$221.00</p> <p>FOB: Miami, Florida</p> |  |
| By Manufacture | <p>M03AC MEDIFLOW HAND DRYER – Automatic – Polished Stainless Steel Cover</p> <p>Steel Sheet cover, 1/16" thick, Voltage: 110-120 V; Power consumption: 19A; Motor: 1/3 HP; R.P.M: 4.500; Heating Element: 2,000 W Effective airflow: 265 CFM; Free airflow: 318 CFM (M-03AC; M03AC) Sku: M03AC Brand: Saniflow Corp.</p> | <p>\$273.00</p> <p>30 days delivery ARO FOB: Miami, Florida</p> |  |

| Warranty | NSN/Mfg Part No / Product | Price/Delivery | Picture |
|----------------|--|---|--|
| By Manufacture | <p>M03ACSMEDIFLOW HAND DRYER – Automatic – Brushed Stainless Steel Cover</p> <p>Steel Sheet cover, 1/16" thick, Voltage: 110-120 V; Power consumption: 19A; Motor: 1/3 HP; R.P.M: 4.500; Heating Element: 2,000 W Effective airflow: 265 CFM; Free airflow: 318 CFM (M-03ACS; M03ACS) Sku: M03ACS Brand: Saniflow Corp.</p> | <p>\$273.00</p> <p>30 days delivery ARO</p> <p>FOB: Miami, Florida</p> |  |
| By Manufacture | <p>KT0010B ADA Recessed Kit for MEDIFLOW (M03A) HAND DRYER – Just the ADA Kit – Hand dryer not included.</p> <p>Recessed Mounted ADA Kit – Steel White enamelled finish. Kit for recessed mediflow hand dryer (hand dryer not included), Maximum robustness and vandal-proofness. Excellent integration and aesthetical level (KT0010B; KT-0010B) Sku: KT0010B Brand: Saniflow Corp</p> | <p>\$74.75</p> <p>30 days delivery ARO</p> <p>FOB: Miami, Florida</p> |  |
| By Manufacture | <p>KT0010C ADA Recessed Kit for MEDIFLOW (M03AC) HAND DRYER – Just the ADA Kit – Hand dryer not included.</p> <p>Recessed Mounted ADA Kit – Polished Stainless Steel finish. Kit for recessed mediflow hand dryer (hand dryer not included), Maximum robustness and vandal-proofness. Excellent integration and aesthetical level (KT0010C; KT-0010C) Sku: KT0010C Brand: Saniflow Corp.</p> | <p>\$74.75</p> <p>30 days delivery ARO</p> <p>FOB: Miami, Florida</p> |  |

| Warranty | NSN/Mfg Part No / Product | Price/Delivery | Picture |
|----------------|---|----------------|---|
| By Manufacture | <p>KT0010CS ADA Recessed Kit for MEDIFLOW (M03ACS) HAND DRYER – Just the ADA Kit – Hand dryer not included.</p> <p>Recessed Mounted ADA Kit – Polished Stainless Steel finish. Kit for 30 days delivery ARO recessed Mediflow hand dryer (hand dryer not included), Maximum robustness and vandal-proofness. Excellent integration and aesthetical level (KT0010C; KT-0010C) Sku: KT0010C Brand: Saniflow Corp.</p> <p style="text-align: right;">FOB: Miami, Florida</p> | \$74.75 |  |
| By Manufacture | <p>M06AF SPEEDFLOW HAND DRYER – Automatic – Cast iron – White porcelain Enamel – FAST DRYING</p> <p>Surfaced Mounted ADA Compliant – 10 to 15 Second Drying Time 30 days delivery ARO – Cast Iron white Porcelain – Universal Voltage - Automatic – Hand dryer by Saniflow Corp.</p> <p>Cast iron cover, 3/16” thick, Voltage: From 100 to 240 V.; Power consumption: 9,5A; Motor: 1/3 HP; R.P.M: From 3800 – 8200; FOB: Miami, Florida Heating Element: 900 W; Air velocity: 4920 – 9840 LFM; (M06AF; M-06AF) Sku:M06AF Brand: Saniflow Corp.</p> | \$312.00 |  |
| By Manufacture | <p>M06A SPEEDFLOW HAND DRYER – Automatic – Steel – White porcelain Enamel – FAST DRYING</p> <p>Surfaced Mounted ADA Compliant – 10 to 15 Second Drying Time 30 days delivery ARO – Steel white Porcelain – Universal Voltage - Automatic – Hand dryer by Saniflow Corp.</p> <p>Steel White epoxy cover, 1/16” thick, Voltage: From 100 to 240 V.; Power consumption: 9,5A; Motor: 1/3 HP; R.P.M: From 3800 – 8200; Heating Element: 900 W; Air velocity: 4920 – 9840 LFM; (M06A; M-06A) Sku:M06A Brand: Saniflow Corp.</p> <p style="text-align: right;">FOB: Miami, Florida</p> | \$260.00 |  |

| Warranty | NSN/Mfg Part No / Product | Price/Delivery | Picture |
|----------------|--|-------------------------------------|---|
| By Manufacture | <p>M06ACSPPEEDFLOW HAND DRYER – Automatic – Polished Stainless Steel Cover – FAST DRYING</p> <p>Surfaced Mounted ADA Compliant – 10 to 15 Second Drying Time 30 days delivery ARO – Stainless Steel Cover – Universal Voltage - Automatic – Hand dryer by Saniflow Corp.</p> <p>Bright Chromed Stainless Steel cover, 1/16" thick, Voltage: From 100 to 240 V.; Power consumption: 9,5A; Motor: 1/3 HP; R.P.M: From 3800 – 8200; Heating Element: 900 W; Air velocity: 4920 – 9840 LFM; (M06AC; M-06AC) Sku:M06AC Brand: Saniflow Corp.</p> | \$299.00 FOB: Miami, Florida |  |
| By Manufacture | <p>M06ACSSPEEDFLOW HAND DRYER – Automatic – Brushed Stainless Steel Cover – FAST DRYING</p> <p>Surfaced Mounted ADA Compliant – 10 to 15 Second Drying Time 30 days delivery ARO – Stainless Steel Cover – Universal Voltage - Automatic – Hand dryer by Saniflow Corp.</p> <p>Satin Stainless Steel cover, 1/16" thick, Voltage: From 100 to 240 V.; Power consumption: 9,5A; Motor: 1/3 HP; R.P.M: From 3800 – 8200; Heating Element: 900 W; Air velocity: 4920 – 9840 LFM; (M06AC; M-06AC) Sku:M06AC Brand: Saniflow Corp.</p> | \$299.00 FOB: Miami, Florida |  |